

1 . Product and company identification

Common name	: ROYCO 308CA	Supplier/Manufacturer
MSDS#	: EH1006	Anderol Inc.
MILSPEC#	: MIL-PRF-32033	215 Merry Lane
Material use	: Lubricant.	East Hanover, NJ 07936
In case of emergency	: CHEMTREC: 800-424-9300 (United States) CANUTEC (613) 996-6666 (Canada)	Tel: (973) 887-7410 Fax: (973) 887-8422
MSDS authored by:	: Kemika XXI Inc. + 1-450-435-7475	
Date of issue	: 02/15/2006	

2 . Hazards identification

Physical state	: Liquid.
Odor	: Hydrocarbon. (Slight.)
Color	: Amber. (Light.)
Hazard status	: This material is classified hazardous under OSHA regulations in the United States, the WHMIS Controlled Product Regulation in Canada, the NOM-018-STPS-2000 in Mexico and Brazil NBR 14725:2001.
Emergency overview	: WARNING! CAUSES EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. Avoid contact with skin and clothing. Wash thoroughly after handling.
Routes of entry	: Skin contact. Eye contact. Ingestion.
Potential acute health effects	
Eyes	: Irritating to eyes.
Skin	: Irritating to skin. May cause sensitization by skin contact.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Potential chronic health effects	: Carcinogenic effects: Not applicable. Mutagenic effects: Not available. Teratogenic Effects: Not available.
Medical conditions aggravated by over-exposure	: Repeated or prolonged exposure is not known to aggravate any medical condition.
See toxicological information (section 11)	

3 . Composition/information on ingredients

United States

Name	CAS number	%
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	70 - 100
Distillates (Petroleum), Hydrotreated Light	64742-47-8	1 - 3
Calcium dinonylnaphthalene sulfonate	57855-77-3	1 - 3

Canada

Name	CAS number	%
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	70 - 100
Distillates (Petroleum), Hydrotreated Light	64742-47-8	1 - 3
Calcium dinonylnaphthalene sulfonate	57855-77-3	1 - 3

Mexico

Name	UN number	IDLH	Classification				CAS number	%
			H	F	R	Special		
Distillates (petroleum), hydrotreated light naphthenic	Not regulated.	-	1	1	0	64742-53-6	70 - 100	
Calcium dinonylnaphthalene sulfonate	Not regulated.	-	1	0	0	57855-77-3	1 - 3	
Distillates (Petroleum), Hydrotreated Light	Not regulated.	-	0	1	0	64742-47-8	1 - 3	

Brazil

Name	CAS number	%
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	70 - 100
Distillates (Petroleum), Hydrotreated Light	64742-47-8	1 - 3
Calcium dinonylnaphthalene sulfonate	57855-77-3	1 - 3

See Sections 8, 11 and 14 for details.

4 . First aid measures

- Eye contact** : Check for and remove any contact lenses. In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Get medical attention if irritation occurs.
- Skin contact** : Wash with soap and water. Get medical attention if irritation occurs.
- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
- Notes to physician** : Not available.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

5 . Fire-fighting measures

- Flammability of the product** : May be combustible at high temperature.
- Products of combustion** : The final products of combustion are carbon oxides and water. Nitrogen, sulfur and metal oxides may also be produced in some cases.
- Extinguishing media**
 - Suitable** : Use an extinguishing agent suitable for the surrounding fire.
 - Not suitable** : None known.
- Special exposure hazards** : No specific hazard.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Special remarks on fire hazards** : Container explosion may occur under fire conditions or when heated. Cool closed containers exposed to fire with water.

6 . Accidental release measures

- Personal precautions** : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

7. Handling and storage

Handling : Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
Storage : Keep container tightly closed. Keep container in a cool, well-ventilated area.

8. Exposure controls/personal protection

United States

Product name

Distillates (petroleum), hydrotreated light naphthenic
 Distillates (Petroleum), Hydrotreated Light

Exposure limits

ACGIH TLV (United States).
 TWA: 5 mg/m³ 8 hour(s).
ACGIH TLV (United States, 1/2005). Skin
 TWA: 200 mg/m³ 8 hour(s). Form: All forms.

Canada

Product name

Distillates (petroleum), hydrotreated light naphthenic
 Distillates (Petroleum), Hydrotreated Light

Exposure limits

ACGIH TLV (United States).
 TWA: 5 mg/m³ 8 hour(s).
ACGIH TLV (United States, 1/2005). Skin
 TWA: 200 mg/m³ 8 hour(s). Form: All forms.

Mexico

Product name

Distillates (petroleum), hydrotreated light naphthenic
 Distillates (Petroleum), Hydrotreated Light

Exposure limits

ACGIH TLV (United States).
 TWA: 5 mg/m³ 8 hour(s).
ACGIH TLV (United States, 1/2005). Skin
 TWA: 200 mg/m³ 8 hour(s). Form: All forms.

Brazil

Product name

Distillates (petroleum), hydrotreated light naphthenic
 Distillates (Petroleum), Hydrotreated Light

Exposure limits

ACGIH TLV (United States).
 TWA: 5 mg/m³ 8 hour(s).
ACGIH TLV (United States, 1/2005). Skin
 TWA: 200 mg/m³ 8 hour(s). Form: All forms.

Engineering measures : No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal protection

- Eye protection** : Safety glasses with side shields.
- Skin protection/Body** : Not applicable.
- Respiratory protection** : Not applicable.
- Hand protection.** : Natural rubber (latex).



HMIS Code/Personal protective equipment : B

Personal protection in case of a large spill : Safety glasses, goggles or face shield. Impervious gloves. Full suit. Boots. Wear NIOSH-approved self-contained breathing apparatus or equivalent and full protective gear. Wash hands, forearms and face thoroughly after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Follow good industrial hygiene practice.

9 . Physical and chemical properties

Physical state : Liquid.
Color : Amber. (Light.)
Odor : Hydrocarbon. (Slight.)
Specific gravity : 0.89 (Water = 1)
Flash point : Open cup: 150°C (302°F)(Cleveland.).

10 . Stability and reactivity

Stability and reactivity : The product is stable.
Conditions of instability : None known.
Incompatibility with various substances : Reactive with oxidizing materials.
Hazardous polymerization : Will not occur.
Conditions of reactivity : None known.

11 . Toxicological information

Acute Effects

Eyes : Irritating to eyes.
Skin : Irritating to skin. May cause sensitization by skin contact.
Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.
Potential chronic health effects : Carcinogenic effects: Not applicable.
Mutagenic effects: Not available.
Teratogenic Effects: Not available.

12 . Ecological information

Ecotoxicity data

Distillates (Petroleum), Hydrotreated Light	Oncorhynchus mykiss (LC50)	96 hour(s)	2.9 mg/l
---	----------------------------	------------	----------

Environmental precautions : No known significant effects or critical hazards.

Products of degradation : The final products of biodegradation are carbon oxides and water. Nitrogen and sulfur oxides and metal salts may also be produced in some cases.

Toxicity of the products of biodegradation : The product itself and its products of degradation are not toxic.

13 . Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

14 . Transport information

NAERG : Not applicable.

Regulatory information

UN/ IMDG/IATA DOT/TDG : Not regulated by any transport mode.

15 . Regulatory information

United States


HCS Classification : Irritating material
Sensitizing material

U.S. Federal regulations : TSCA 8(b) inventory: All components listed.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: Distillates (Petroleum), Hydrotreated Light
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Distillates (Petroleum), Hydrotreated Light: Delayed (chronic) health hazard
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.
Clean Air Act (CAA) 112 accidental release prevention: No products were found.
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations : Pennsylvania RTK: 2,6-Ditert-butyl-p-cresol: (generic environmental hazard);
2-Butoxyethanol: (environmental hazard, generic environmental hazard); N,N-Bis
(2-Ethylhexy)-((1,2,4-Triazol-1-yl)Methyl)amine
Massachusetts RTK: Distillates (petroleum), hydrotreated light naphthenic; 2,6-Ditert-
butyl-p-cresol; 2-Butoxyethanol; N,N-Bis(2-Ethylhexy)-((1,2,4-Triazol-1-yl)Methyl)amine
New Jersey: 2,6-Ditert-butyl-p-cresol; 2-Butoxyethanol; N,N-Bis(2-Ethylhexy)-((1,2,4-
Triazol-1-yl)Methyl)amine
California prop. 65: No products were found.

Canada

WHMIS (Canada) : Class D-2B: Material causing other toxic effects (Toxic).




CEPA DSL: All components listed.

This product has been classified in accordance with the hazard criteria of the Canadian CPR, the United States OSHA, the Mexican NOM -018-STPS-2000 and the Brazilian NBR 14725:2001. This MSDS contains all the information required by the CPR, OSHA, the American National Standard Institute (ANSI) Z400.1, NOM -018-STPS-2000 and NBR 14725:2001.

Mexico

Classification :



HAZARD RATINGS

- 4- Extreme
- 3- Serious
- 2- Moderate
- 1- Slight
- 0- Minimal

International lists : This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16 . Other information

Label requirements (U.S.A.) : CAUSES EYE AND SKIN IRRITATION.
MAY CAUSE ALLERGIC SKIN REACTION.

Hazardous Material Information System (U.S.A.) :

HMIS RATING


Health	*	1
Fire hazard		1
Physical Hazard		0
Personal protection		B

HAZARD RATINGS

4- Extreme
3- Serious
2- Moderate
1- Slight
0- Minimal

See section 8 for more detailed information on personal protection.

National Fire Protection Association (U.S.A.) :



References : ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005. - Official Mexican Standards NOM-018-STPS-2000 and NOM-004-SCT2-1994. Brazil NBR 14725:2001.

Responsible name : Mr. Max Naggar
Date of issue : 02/15/2006
Date of previous issue : 02/16/2005
Version : 4

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.