Revision Date 03-06-2015 Revision Number 4



### SECTION 1 Identification of the substance/mixture and of the company/undertaking

Product identification used on label

Product identifier 3022

TECTYL 900

Details of the supplier of the safety

data sheet

Daubert Chemical Company 4700 S. Central Avenue Chicago, IL 60638

708-496-7350

Emergency telephone number Relevant identified uses of the

substance or mixture and uses

advised against

Chemtrec: (800) 424-9300 Corrosion Preventive Compound

### **SECTION 2 Hazards identification**

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification Not classified as hazardous under

OSHA.

Hazard Statements Not hazardous under OSHA regulations.

### **SECTION 3 Composition/information on ingredients**

Chemical Name CAS # %

No Hazardous Components

Note: Specific chemical identities and/or exact percentages have been withheld as a trade secret.

#### **SECTION 4 First aid measures**

**Inhalation** If symptoms are experienced remove source of contamination or move victim to fresh air and

obtain medical advice.

**Eyes** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often.

Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate

medical attention and monitor the eye daily as advised by your physician.

**Skin Contact** Wash with soap and water. Remove contaminated clothing and launder. Get medical attention

if irritation develops or persists.

**Ingestion** Do not induce vomiting. Seek medical attention immediately. Provide medical care provider

with this SDS.

**Note to Doctor** Treat symptomatically.

## **SECTION 5 Firefighting measures**

**Extinguishing media** Use methods suitable to fight surrounding fire. Use water fog, foam,

dry chemical or carbon dioxide (CO2) to extinguish flames.

Fire and/or Explosion Hazards

TECTYL 900 Page 1 of 5

Revision Date 03-06-2015 Revision Number 4

Fire Fighting Methods and Protection Do not enter fire area without proper protection including self-

contained breathing apparatus and full protective equipment. Use

appropriate methods for the surrounding fire.

Hazardous Combustion Products Hydrocarbons, Oxides of carbon

#### **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

#### **SECTION 7 Handling and storage**

**Precautions for safe handling** 

Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Wash thoroughly after handling. Do not get in eyes, on skin and clothing.

Conditions for safe storage, including any incompatibilities

**Incompatible materials** 

Store in a cool dry place. Isolate from incompatible materials.

Strong acids, Strong oxidizing agents

### **SECTION 8 Exposure controls/personal protection**

# **Control parameters Chemical Name**

ACGIH TLV

ACGIH STEL

OSHA PEL

No exposure limits in vapor form

This product contains mineral oils having recommended exposure limits of 5 mg/m3 in mist form. Because the viscosity of this product is <= 20.5 cSt, mists can be formed in certain applications. If mists do form, use appropriate controls to maintain exposure below the stated limits.

**Engineering Measures** 

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

TECTYL 900 Page 2 of 5

Revision Date 03-06-2015 Revision Number 4

**Respiratory Protection** Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and

ANSI Z88.2 requirements whenever work place conditions warrant the use of a

respirator.

**Eye Protection** Wear chemically resistant safety glasses with side shields when handling this product.

Do not wear contact lenses.

**Skin Protection** Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and other clothing as necessary to protect

against thermal burns.

**Gloves** Chemically resistant gloves

### **SECTION 9 Physical and chemical properties (Typical, not specification)**

Physical State Oily liquid Color Amber

Odor Slight Solvent Odor **Odor Threshold** No data available No data available рH Melting Point, °C No data available Boiling Point, °C No data available **Flash Point**  $= 225 \, ^{\circ}\text{F}( 107 \, ^{\circ}\text{C})$ **Evaporation Rate** >1 (n-Butyl Acetate=1) Flammability (Solid, Gas) No data available

Lower Flammable/Explosive Limit,

% in air

Upper Flammable/Explosive Limit, No data available

% in air

Vapor Pressure < 1 mmHg Vapor Density >1 (Air=1) Specific Gravity @ 25°C 0.88

Solubility in Water
Octanol/Water Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Viscosity
Negligible; 0-1%
No data available
No data available
11 cSt @ 40°C
Volatiles, % by weight
No data available

VOC, lb/gal 1.9 VOC, grams/liter 227.9 VOC minus exempt solvents & water, 1.9

lb/gal

TECTYL 900 Page 3 of 5

No data available

Revision Date 03-06-2015 **Revision Number 4** 

**SECTION 10 Stability and reactivity** 

Stable under normal conditions. Hazardous polymerization Chemical stability

will not occur.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid Contamination.

**Incompatible materials** Strong acids, Strong oxidizing agents

**Hazardous decomposition products** Decomposition and hazardous decomposition products are

unlikely.

**SECTION 11 Toxicological information** 

**Likely Routes of Entry** Inhalation, Skin contact, Eye contact

**Target Organs Potentially Affected by Exposure** No organs known to be damaged from exposure to this

product.

**Chemical Interactions That Change Toxicity** 

No chemical interaction known to affect toxicity. **Medical Conditions Aggravated** Skin contact may aggravate existing skin disease

**Immediate (Acute) Health Effects by Route of Exposure** 

**Inhalation Irritation** Can cause minor respiratory irritation. High concentrations may be fatal.

**Inhalation Toxicity** Non-Toxic. Not known to cause systemic damage.

**Skin Contact** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

No absorption hazard expected in normal industrial use. **Skin Absorption** 

Can cause moderate irritation, tearing and reddening, but not likely to permanently injure **Eye Contact** 

eve tissue.

**Ingestion Irritation** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

Harmful if swallowed. **Ingestion Toxicity** 

**Long-Term (Chronic) Health Effects** 

Carcinogenicity Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA.

**Reproductive and Developmental Toxicity** No data available to indicate product or any components present at

greater than 0.1% may cause birth defects.

Inhalation Upon prolonged and/or repeated exposure, can cause respiratory irritation. Can cause

systemic damage upon prolonged and/or repeated exposure (see "Target Organs)

**Skin Contact** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

**Skin Absorption** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Component Toxicology Data** 

**Chemical Name** CAS Number LD50/LC50

No data available

TECTYL 900 Page 4 of 5

Revision Date 03-06-2015 Revision Number 4

**SECTION 12 Ecological information** 

**Overview** No ecological information available

MobilityNo dataPersistenceNo dataBioaccumulationNo dataDegradabilityNo data

**Ecotoxicity Data** 

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50

Crustacea Algae Fish

No data available

**SECTION 13 Disposal considerations** 

Waste Description for Spent Product Spent or discarded material is not expected to be a hazardous waste.

**Disposal Methods** Dispose of in accordance with Local and National regulations.

Waste Disposal Code(s) Not applicable

**SECTION 14 Transport information** 

Full Shipping Name for Corrosion Inhibitor - Non-Hazardous

Export, Air, Sea (any

quantity) or vessels of 119 gal.

or more:

**Domestic Ground in vessels** < Not Hazardous

119 gal.

**SECTION 15 Regulatory information** 

**TSCA Status** All components in this product are on the TSCA Inventory or exempt.

Canadian DSL One or more chemical substances in this material are on the Canadian NDSL and the remainder

status: are included on the Canadian DSL or are exempt.

Chemical Name CAS # Regulation Percent

No 313-listed chemicals in this product SARA 313

**SECTION 16 Other information** 

**Revision** 03-06-2015

Date

**Disclaimer** Although the information contained herein is believed to be reliable, it is furnished without warranty

of any kind. This information is not intended to be all-inclusive as to the manner and conditions of

use, handling, and storage.

**Version** Reviewed

**Comments** Approved: M. Duncan

TECTYL 900 Page 5 of 5